

Web Results 1 - 10 of about **22,400** for **("timestamp" OR timestamp) test mode daterange:2449718-2452123**

[PDF] [75.3;.5\(48.&. 5\(\)\)\(5\(1&\(&\\$5'](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... exclusive with +CMSH) m Modification **timestamp** c Inode creation/modification **timestamp**
C CRC ... Use the **Test mode** of the tripwire command to check the settings. ...

www.eecis.udel.edu/~seitz/refcard.pdf - [Similar pages](#)

[Re: source dependencies with SparcWorks CC](#)

... produced file (should produce .i) echo **timestamp** > **test.lo** stat ... d + sed -es\$/ ./:
rm -f .deps/**test**.TPlo + exit 0 ... quiet is /bin/sh ../libtool --mode=compile CC ...

sources.redhat.com/ml/automake/2000-01/msg00026.html - 7k - [Cached](#) - [Similar pages](#)

[Daniel Rohe - trouble with gsl on AIX](#)

... l. -l. -l. -g -c fdiv.c cc -DHAVE_CONFIG_H -l. -l. -l. -l. -g -c fdiv.c echo
timestamp > fdiv.lo ... Making all in **test** /bin/sh ../libtool --mode=compile cc ...

sources.redhat.com/ml/gsl-discuss/2001/msg00295.html - 8k - [Cached](#) - [Similar pages](#)

[[More results from sources.redhat.com](#)]

[PDF] [CAPCOM WAVELET CHIP SPECIFICATIONS](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... image generator is enabled, which is used to **test** the ZV ... rate of 15 frames/sec in
encode **mode**, where every ... A **timestamp** is used and encoded in the bitstream to ...

www.janet.ucla.edu/glomo/finalreport/final_report_documents/mnovell_capcom_specs.pdf - [Similar pages](#)

[PDF] [Logical Unit Self-tests](#)

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... device server shall start its extended self-**test** routine in the foreground **mode**. ...
If the **test** is still in progress, the content of the **TIMESTAMP** field shall be ...

www.t10.org/ftp/t10/document.99/99-179r5.pdf - [Similar pages](#)

[ErrorMode\(@OFF\) IntControl\(29, "@TAB", 0, 0, 0\) ; Make backup of ...](#)

... a .txt file for batch **mode**", "c:\", "sysdlls ... input) FileN = FileLocate(**test**) if **test** ==
""EOF*" then ... size = FileSize(FileN) **timestamp** = FileTimeGet(FileN ...

www.twistedinternet.com/archive-files/Rhino9/rhino9-products/dll.txt - 11k - [Cached](#) - [Similar pages](#)

[Powstatd](#)

... When using encrypted master/slave communication, powstatd also uses a **timestamp**
to foil replay ... 5. As root, run powstatd in **test mode** (you'll have to be root to ...

dollar.biz.uiowa.edu/powstatd/man.html - 18k - [Cached](#) - [Similar pages](#)

[ftpmirror - mirroring directory hierarchy with FTP](#)

... **test-mode**: (default: 0) If this parameter is 1, ftpmirror prints file names to ... files
have same size ftpmirror will only change local file **timestamp** to match ...

noc.intec.co.jp/ftpmirror.html - 26k - [Cached](#) - [Similar pages](#)

[Time-stamp: <1999-11-10 14:21:55 lofgren> :: File: .emacs ...](#)

... W3C//DTD HTML 4.0 Transitional//EN">\n" html-helper-**timestamp**-hook '(lambda ... projects
(autoload '**test-mode** "**test-mode**" "**My test mode**" t) ;;; Hippie ...

www.sics.se/~lofgren/emacs/.emacs - 17k - [Cached](#) - [Similar pages](#)

[Synchron: software for Unix directory synchronization](#)

... both sides, the appropriate character is printed in lower case for the side with
the earlier **timestamp**. ... The only possible option is **-test** to run in **test mode**. ...

www.math.psu.edu/dna/synchron/ - 15k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

 Free! [Google Desktop Search](#): Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google


[Web](#) [Images](#) [Groups](#)^{New!} [News](#) [Froogle](#) [more »](#)

[Advanced Search](#)
[Preferences](#)

Web Results 1 - 10 of about 247 for **secure "test mode" encryption daterange:2449718-2452123**. (0.21 sec)

How to put phone in test mode

... What to do now that you have the phone in **test mode**? ... 1on1lite also uses the most powerful **encryption** on the ... a toy, it is the most powerful **secure** email client ...
mobile.8m.com/testmode.html - 24k - [Cached](#) - [Similar pages](#)

Ga628 Download page

... Procomm plus script to put gh388 into **test mode**. ... 1on1lite also uses the most powerful **encryption** on the ... not a toy, it is the most powerful **secure** email client ...
mobile.8m.com/628downl.html - 17k - [Cached](#) - [Similar pages](#)

Cracking DES: Secrets of Encryption Research, Wiretap Politics ...

... If DES-based products are perceived as **secure**, but the ... of truth to enter the policy debates on **encryption**. ... host program will also have a **test mode**, which loads ...
www.shmoo.com/crypto/Cracking_DES/cracking-des.htm - 101k - [Cached](#) - [Similar pages](#)

[PDF] A VLSI implementation of RSA and IDEA encryption engine.

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... include a hardware for a **secure** block cipher. ... each transform, thereby selecting between **encryption** and decryption. ... of that analyser is possible in **test mode**. ...
www.pld.ttu.ee/~prj/norchip.pdf - [Similar pages](#)

[PDF] CRYPTOPROCESSOR PLD001

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Most of it is used for modular arithmetic. Also this device should include hardware for a **secure** block cipher. ... block **encryption**. IDEA has 128-bit key length. ...
www.pld.ttu.ee/home/prj/master.pdf - [Similar pages](#)

[PDF] 75,3;.5(48.&. 5()(5(1&(&\$5'

File Format: PDF/Adobe Acrobat - [View as HTML](#)

... Security Settings --signed-report -E q --**secure-mode** -Z low|high q q --no-**encryption** -e q q q ... Use the **Test mode** of the tripwire command to check the settings. ...
www.eecis.udel.edu/~seitz/refcard.pdf - [Similar pages](#)

Powstatd

... States wishing to use the **secure** communication protocol ... C implementation of TEA, the Tiny **Encryption** Algorithm, from ... As root, run powstatd in **test mode** (you'll ...
dollar.biz.uiowa.edu/powstatd/man.html - 18k - [Cached](#) - [Similar pages](#)

Howto integrate (G/P)GP into sendmail -D?!

... over the **encryption** of a particular message (pgpsendmail uses X-**Secure**: headers) * an email header to advertise **encryption** capabilities * a **test mode** to verify ...
lists.gnupg.org/pipermail/gnupg-users/2000-November/007023.html - 15k - [Cached](#) - [Similar pages](#)

iSiteSolver Web Site Designs! - Total Web Site Design Solutions


... The system is set to run in **test mode** so you can ... Your final credit transaction will be processed on a **secure** server protected by VeriSign **encryption**. ...
www.sitesolver1.com/shopping_demonstration.html - 33k - [Cached](#) - [Similar pages](#)

Evolving Enterprise - Winter 1998: E-Business

... IETF) chosen standard that provides **secure** communications transparency ... Authentication and **encryption** is needed between client ... VPNs, and some are in **test mode**. ...
www.lionhrtpub.com/ee/ee-winter98/harrison.html - 15k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**

 Free! Google Desktop Search: Search your own computer.

[Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)

[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2005 Google



US Patent & Trademark Office

[Subscribe \(Full Service\)](#) [Register \(Limited Service, Free\)](#) [Login](#)

 Search: ☒ The ACM Digital Library ☐ The Guide

+secure +"test mode" +encryption

SEARCH


[Feedback](#) [Report a problem](#) [Satisfaction survey](#)
Terms used **secure test mode encryption**

Found 4 of 148,786

Sort results by

relevance

Display results

expanded form

Save results to a Binder

Search Tips

☐ Open results in a new window
Try an [Advanced Search](#)Try this search in [The ACM Guide](#)

Results 1 - 4 of 4

Relevance scale ☐ ☐ ☐ ☐ ☐

1 [Security in embedded systems: Design challenges](#)

Srivaths Ravi, Anand Raghunathan, Paul Kocher, Sunil Hattangady

August 2004 **ACM Transactions on Embedded Computing Systems (TECS)**, Volume 3 Issue 3

Full text available: pdf(3.67 MB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

Many modern electronic systems---including personal computers, PDAs, cell phones, network routers, smart cards, and networked sensors to name a few---need to access, store, manipulate, or communicate sensitive information, making security a serious concern in their design. Embedded systems, which account for a wide range of products from the electronics, semiconductor, telecommunications, and networking industries, face some of the most demanding security concerns---on the one hand, they are oft ...

Keywords: Embedded systems, architecture, authentication, battery life, cryptographic algorithms, decryption, encryption, hardware design, processing requirements, security, security attacks, security protocols, tamper resistance

2 [An approach to secure distribution of web-based training courses](#)

Edgar Weippl

January 2001 **Australian Computer Science Communications , Proceedings of the 24th Australasian conference on Computer science**, Volume 23 Issue 1

Full text available: pdf(885.89 KB)

Additional Information: [full citation](#), [abstract](#), [references](#)[Publisher Site](#)

Although Web-based training systems are widely used today, security issues within these systems have not been sufficiently addressed. In this paper we outline the possible specific security threats of Web-based training systems in addition to those of other Web applications. We propose a new architecture as one possible way of addressing most of these security flaws that may deter both content providers (e.g. professors) and content users (e.g. students) from using Web-based training systems.

Keywords: secure web access, security, web-based training

3 [Empirical evidence concerning AES](#)

Peter Hellekalek, Stefan Wegenkittl

October 2003 **ACM Transactions on Modeling and Computer Simulation (TOMACS)**, Volume 13 Issue 4

Full text available: pdf(277.11 KB)

Additional Information: [full citation](#), [abstract](#), [references](#), [index terms](#)

AES, the Advanced Encryption Standard, is one of the most important algorithms in modern cryptography. Certain randomness properties of AES are of vital importance for its security.

At the same time, these properties make AES an interesting candidate for a fast nonlinear random number generator for stochastic simulation. In this article, we address both of these two aspects of AES. We study the performance of AES in a series of statistical tests that are related to cryptographic notions like con ...

Keywords: AES, block ciphers, confusion, diffusion, statistical tests

4 Technical papers: Link layer-based TCP optimisation for disconnecting networks

James Scott, Glenford Mapp

October 2003 **ACM SIGCOMM Computer Communication Review**, Volume 33 Issue 5

Full text available:  pdf(368.01 KB) Additional Information: [full citation](#), [abstract](#), [references](#)

This paper discusses a link layer approach to improving TCP performance in the face of periodic network disconnections. Network disconnections are encountered in many scenarios, including being out-of-range in a wireless network, during network handoff, and also in the case of Networked Surfaces, a novel LAN technology which provides the motivation for this work. A "smart link layer" employing repetition of selected packets at reconnection time is shown to improve TCP's utilisation of a disconnect ...

Keywords: TCP, disconnection, link layer, mobile networking

Results 1 - 4 of 4

The ACM Portal is published by the Association for Computing Machinery. Copyright © 2005 ACM, Inc.

[Terms of Usage](#) [Privacy Policy](#) [Code of Ethics](#) [Contact Us](#)

Useful downloads:  [Adobe Acrobat](#)  [QuickTime](#)  [Windows Media Player](#)  [Real Player](#)

Welcome to IEEE Xplore™

- ☐ Home
- ☐ What Can I Access?
- ☐ Log-out

Tables of Contents

- ☐ Journals & Magazines
- ☐ Conference Proceedings
- ☐ Standards

Search

- ☐ By Author
- ☐ Basic
- ☐ Advanced
- ☐ CrossRef

Member Services

- ☐ Join IEEE
- ☐ Establish IEEE Web Account
- ☐ Access the IEEE Member Digital Library

IEEE Enterprise

- ☐ Access the IEEE Enterprise File Cabinet

Your search matched **0** of **1121826** documents.

A maximum of **500** results are displayed, **15** to a page, sorted by **Relevance Descending** order.

Refine This Search:

You may refine your search by editing the current search expression or entering a new one in the text box.

☐ Check to search within this result set**Results Key:**

JNL = Journal or Magazine **CNF** = Conference **STD** = Standard

Results:

No documents matched your query.



[Home](#) | [Log-out](#) | [Journals](#) | [Conference Proceedings](#) | [Standards](#) | [Search by Author](#) | [Basic Search](#) | [Advanced Search](#) | [Join IEEE](#) | [Web Account](#) | [New this week](#) | [OPAC Linking Information](#) | [Your Feedback](#) | [Technical Support](#) | [Email Alerting](#) | [No Robots Please](#) | [Release Notes](#) | [IEEE Online Publications](#) | [Help](#) | [FAQ](#) | [Terms](#) | [Back to Top](#)

Copyright © 2004 IEEE — All rights reserved